



(2006-2011)

<p>J Nephrol 2011 (in press)</p> <p>Bazzi C, Rizza V, Casellato D, Stivali G, Rachele G, Napodano P, Olivieri G, Gallieni M, D'Amico G. Validation of some pathophysiological mechanisms of the CKD progression theory and out come Prediction in IgA Nephropathy.</p>
<p>Kidney Int. 2011 Sep;80(5):445-7</p> <p>Rastaldi MP. Calcium sensing in podocytes.</p>
<p>Diabetes. 2011 Sep;60(9):2386-96. Epub 2011 Aug 1</p> <p>Barutta F, Piscitelli F, Pinach S, Bruno G, Gambino R, Rastaldi MP, Salvidio G, Di Marzo V, Cavallo Perin P, Gruden G. Protective role of cannabinoid receptor type 2 in a mouse model of diabetic nephropathy.</p>
<p>Nat Med. 2011 Jul 31;17(8):952-60</p> <p>Wei C, El Hindi S, Li J, Fornoni A, Goes N, Sageshima J, Maiguel D, Karumanchi SA, Yap HK, Saleem M, Zhang Q, Nikolic B, Chaudhuri A, Daftarian P, Salido E, Torres A, Salifu M, Sarwal MM, Schaefer F, Morath C, Schwenger V, Zeier M, Gupta V, Roth D, Rastaldi MP, Burke G, Ruiz P, Reiser J. Circulating urokinase receptor as a cause of focal segmental glomerulosclerosis.</p>
<p>J Immunol. 2011 Aug 1;187(3):1304-13. Epub 2011 Jul 1</p> <p>Boross P, Arandhara VL, Martin-Ramirez J, Santiago-Raber ML, Carlucci F, Flierman R, van der Kaa J, Breukel C, Claassens JW, Camps M, Lubberts E, Salvatori D, Rastaldi MP, Ossendorp F, Daha MR, Cook HT, Izui S, Botto M, Verbeek JS. The inhibiting Fc receptor for IgG, FcγRIIB, is a modifier of autoimmune susceptibility.</p>
<p>J Biol Chem. 2011 Sep 2;286(35): 30795-805. Epub 2011 Jun 16</p> <p>Liu Z, Blattner SM, Tu Y, Tisherman R, Wang JH, Rastaldi MP, Kretzler M, Wu C. {alpha}-Actinin-4 and CLP36 Protein Deficiencies Contribute to Podocyte Defects in Multiple Human Glomerulopathies.</p>
<p>Sci Transl Med. 2011 Jun 1;3(85):85ra46</p> <p>Fornoni A, Sageshima J, Wei C, Merscher-Gomez S, Aguilon-Prada R, Jauregui AN, Li J, Mattiazzi A, Ciancio G, Chen L, Zilleruelo G, Abitbol C, Chandar J, Seeherunvong W, Ricordi C, Ikehata M, Rastaldi MP, Reiser J, Burke GW 3rd. Rituximab targets podocytes in recurrent focal segmental glomerulosclerosis.</p>
<p>J Nephrol. 2011 May-Jun;24 Suppl 18:S30-7</p> <p>Messa P, Alfieri C, Rastaldi MP. Recent insights into vitamin D and its receptor.</p>
<p>J Pathol. 2011 Sep;225(1):118-28. Epub 2011 Jun 1</p> <p>Li M, Armelloni S, Ikehata M, Corbelli A, Pesaresi M, Calvaresi N, Giardino L, Mattinzoli D, Nisticò F, Andreoni S, Puliti A, Ravazzolo R, Forloni G, Messa P, Rastaldi MP. Nephrin expression in adult rodent central nervous system and its interaction with glutamate receptors.</p>
<p>J Clin Invest. 2011 Jun 1;121(6):2181-96. Epub 2011 May 23</p> <p>Inoki K, Mori H, Wang J, Suzuki T, Hong S, Yoshida S, Blattner SM, Ikenoue T, Rüegg MA, Hall MN, Kwiatkowski DJ, Rastaldi MP, Huber TB, Kretzler M, Holzman LB, Wiggins RC, Guan KL. mTORC1 activation in podocytes is a critical step in the development of diabetic nephropathy in mice.</p>
<p>J Clin Invest. 2011 Jun 1;121(6):2197-209. Epub 2011 May 23</p> <p>Gödel M, Hartleben B, Herbach N, Liu S, Zschiedrich S, Lu S, Debreczeni-Mór A, Lindenmeyer MT, Rastaldi MP, Hartleben G, Wiech T, Fornoni A, Nelson RG, Kretzler M, Wanke R, Pavenstädt H, Kerjaschki D, Cohen CD, Hall MN, Rüegg MA, Inoki K, Walz G, Huber TB. Role of mTOR in podocyte function and diabetic nephropathy in humans and mice.</p>
<p>Am J Pathol. 2011 Mar;178(3):1257-69</p> <p>Puliti A, Rossi PI, Caridi G, Corbelli A, Ikehata M, Armelloni S, Li M, Zennaro C, Conti V, Vaccari CM, Cassanello M, Calevo MG, Emionite L, Ravazzolo R, Rastaldi MP. Albuminuria and glomerular damage in mice lacking the metabotropic glutamate receptor 1.</p>
<p>Sci Transl Med. 2010 Nov 24;2(59):59ra86</p> <p>Ferrandi M, Molinari I, Torielli L, Padoani G, Salardi S, Rastaldi MP, Ferrari P, Bianchi G. Adducin- and ouabain-related gene variants predict the antihypertensive activity of rosfafuroxin, part 1: experimental studies.</p>



(2006-2011)

[J Immunol. 2010 Oct 1;185\(7\):4457-69. Epub 2010 Aug 30](#)

Thacker SG, Berthier CC, Mattinzoli D, Rastaldi MP, Kretzler M, Kaplan MJ.
The detrimental effects of IFN- α on vasculogenesis in lupus are mediated by repression of IL-1 pathways: potential role in atherogenesis and renal vascular rarefaction.

[PLoS One. 2010 Sep 24;5\(9\):e12995](#)

Xavier S, Gilbert V, Rastaldi MP, Krick S, Kollins D, Reddy A, Bottinger E, Cohen CD, Schlondorff D.
BAMBI is expressed in endothelial cells and is regulated by lysosomal/autolysosomal degradation.

[Hum Mol Genet. 2010 Aug 1;19\(15\):2998-3010. Epub 2010 May 14](#)

Bernascone I, Janas S, Ikehata M, Trudu M, Corbelli A, Schaeffer C, Rastaldi MP, Devuyst O, Rampoldi L.
A transgenic mouse model for uromodulin-associated kidney diseases shows specific tubulointerstitial damage, urinary concentrating defect and renal failure.

[PLoS One. 2010 Jul 12;5\(7\):e11545](#)

Lindenmeyer MT, Eichinger F, Sen K, Anders HJ, Edenhofer I, Mattinzoli D, Kretzler M, Rastaldi MP, Cohen CD.
Systematic analysis of a novel human renal glomerulus-enriched gene expression dataset.

[Kidney Int. 2010 May;77\(10\):921-7. Epub 2010 Mar 3](#)

Working Group of the International IgA Nephropathy Network and the Renal Pathology Society, Coppo R, Troyanov S, Camilla R, Hogg RJ, Cattran DC, Cook HT, Feehally J, Roberts IS, Amore A, Alpers CE, Barratt J, Berthoux F, Bonsib S, Bruijn JA, D'Agati V, D'Amico G, Emancipator SN, Emma F, Ferrario F, Fervenza FC, Florquin S, Fogo AB, Geddes CC, Groene HJ, Haas M, Herzenberg AM, Hill PA, Hsu SI, Jennette JC, Joh K, Julian BA, Kawamura T, Lai FM, Li LS, Li PK, Liu ZH, Mezzano S, Schena FP, Tomino Y, Walker PD, Wang H, Weening JJ, Yoshikawa N, Zhang H.
The Oxford IgA nephropathy clinicopathological classification is valid for children as well as adults.

[J Am Soc Nephrol. 2010 Apr;21\(4\):610-21](#)

Sanchez-Niño MD, Sanz AB, Lorz C, Gnrke A, Rastaldi MP, Nair V, Egido J, Ruiz-Ortega M, Kretzler M, Ortiz A.
BASP1 promotes apoptosis in diabetic nephropathy.

[Diabetes. 2010 Apr;59\(4\):1046-54](#)

Barutta F, Corbelli A, Mastrocola R, Gambino R, Di Marzo V, Pinach S, Rastaldi MP, Perin PC, Gruden G.
Cannabinoid receptor 1 blockade ameliorates albuminuria in experimental diabetic nephropathy.

[J Mol Med. 2010. Feb;88\(2\):203-17 Epub 2009 Oct 17](#)

Ferrandi M, Cusi D, Molinari I, Del Vecchio L, Barlassina C, Rastaldi MP, Schena FP, Macciardi F, Marcantoni C, Roccatello D, Peters LL, Armelloni S, Min L, Giardino L, Mattinzoli D, Camisasca C, Palazzo F, Manunta P, Ferrari P, Bianchi G.
 α - and β -Adducin polymorphisms affect podocyte proteins and proteinuria in rodents and decline of renal function in human IgA nephropathy.

[Kidney Int. 2009 Sep;76\(5\):534-45. Epub 2009 Jul 1](#)

Working Group of the International IgA Nephropathy Network and the Renal Pathology Society, Cattran DC, Coppo R, Cook HT, Feehally J, Roberts IS, Troyanov S, Alpers CE, Amore A, Barratt J, Berthoux F, Bonsib S, Bruijn JA, D'Agati V, D'Amico G, Emancipator S, Emma F, Ferrario F, Fervenza FC, Florquin S, Fogo A, Geddes CC, Groene HJ, Haas M, Herzenberg AM, Hill PA, Hogg RJ, Hsu SI, Jennette JC, Joh K, Julian BA, Kawamura T, Lai FM, Leung CB, Li LS, Li PK, Liu ZH, Mackinnon B, Mezzano S, Schena FP, Tomino Y, Walker PD, Wang H, Weening JJ, Yoshikawa N, Zhang H.
The Oxford classification of IgA nephropathy: rationale, clinicopathological correlations, and classification.

[Kidney Int. 2009 Sep;76\(5\):546-56. Epub 2009 Jul 1](#)

Working Group of the International IgA Nephropathy Network and the Renal Pathology Society, Roberts IS, Cook HT, Troyanov S, Alpers CE, Amore A, Barratt J, Berthoux F, Bonsib S, Bruijn JA, Cattran DC, Coppo R, D'Agati V, D'Amico G, Emancipator S, Emma F, Feehally J, Ferrario F, Fervenza FC, Florquin S, Fogo A, Geddes CC, Groene HJ, Haas M, Herzenberg AM, Hill PA, Hogg RJ, Hsu SI, Jennette JC, Joh K, Julian BA, Kawamura T, Lai FM, Li LS, Li PK, Liu ZH, Mackinnon B, Mezzano S, Schena FP, Tomino Y, Walker PD, Wang H, Weening JJ, Yoshikawa N, Zhang H.
The Oxford classification of IgA nephropathy: pathology definitions, correlations, and reproducibility.

[J Immunol. 2009 Sep 15;183\(6\):3980-8](#)

Otten MA, Groeneveld TW, Flierman R, Rastaldi MP, Trouw LA, Faber-Krol MC, Visser A, Essers MC, Claassens J, Verbeek JS, van Kooten C, Roos A, Daha MR.
Both complement and IgG fc receptors are required for development of attenuated antglomerular basement membrane nephritis in mice.



(2006-2011)

<p>J Am Soc Nephrol. 2009 Sep;20(9):1929-40</p> <p>Giardino L, Armelloni S, Corbelli A, Mattinzoli D, Zennaro C, Guerrot D, Tourrel F, Ikehata M, Li M, Berra S, Carraro M, Messa P, Rastaldi MP. Podocyte glutamatergic signaling contributes to the function of the glomerular filtration barrier.</p>
<p>Nephrol Dial Transplant. 2009 Sep;24(9):2755-62. Epub 2009 Apr 8</p> <p>Boor P, Eitner F, Cohen CD, Lindenmeyer MT, ERCB-Consortium, Mertens PR, Ostendorf T, Floege J. Patients with IgA nephropathy exhibit high systemic PDGF-DD levels.</p>
<p>PLoS One. 2009 Aug 21;4(8):e6721</p> <p>Huby AC, Rastaldi MP, Caron K, Smithies O, Dussaule JC, Chatziantoniou C. Restoration of podocyte structure and improvement of chronic renal disease in transgenic mice overexpressing renin.</p>
<p>Am J Physiol Renal Physiol. 2009 Jun;296(6):F1452-63. Epub 2009 Mar 11</p> <p>Vasko R, Koziolk M, Ikehata M, Rastaldi MP, Jung K, Schmid H, Kretzler M, Müller GA, Strutz F. Role of basic fibroblast growth factor (FGF-2) in diabetic nephropathy and mechanisms of its induction by hyperglycemia in human renal fibroblasts.</p>
<p>Current Proteomics 2009, 6: 179-186</p> <p>Bazzi C. IgA Nephropathy: Clinical Significance of Urinary Proteins/polypeptides Characterization</p>
<p>Nefrologia. 2009;29(1):13-9</p> <p>Benito-Martín A, Ucero AC, Santamaría B, Lorz C, Kretzler M, Rastaldi MP, Sánchez-Niño MD, Sanz A, Izquierdo MC, Ruiz Ortega M, Egido J, Ortiz A. [Transcriptomics illustrate a deadly TRAIL to diabetic nephropathy].</p>
<p>J Nephrol. 2009 May-Jun;22(3):387-96</p> <p>Bazzi C, Rizza V, Paparella M, Casellato D, Napodano P, Olivieri G, D'Amico G. Fractional urinary excretion of IgG is the most powerful predictor of renoprotection by ACE inhibitors in IgA nephropathy.</p>
<p>Clin J Am Soc Nephrol. 2009 May;4(5):929-35</p> <p>Bazzi C, Rizza V, Raimondi S, Casellato D, Napodano P, D'Amico G. In crescentic IgA nephropathy, fractional excretion of IgG in combination with nephron loss is the best predictor of progression and responsiveness to immunosuppression.</p>
<p>Diabetes. 2009 Feb;58(2):469-77</p> <p>Berthier CC, Zhang H, Schin M, Henger A, Nelson RG, Yee B, Boucherot A, Neusser MA, Cohen CD, Carter-Su C, Argetsinger LS, Rastaldi MP, Brosius FC, Kretzler M. Enhanced expression of Janus kinase-signal transducer and activator of transcription pathway members in human diabetic nephropathy.</p>
<p>J Am Soc Nephrol. 2009 Feb;20(2):353-62</p> <p>Sanchez-Niño MD, Sanz AB, Ihalmo P, Lassila M, Holthofer H, Mezzano S, Aros C, Groop PH, Saleem MA, Mathieson PW, Langham R, Kretzler M, Nair V, Lemley KV, Nelson RG, Mervaala E, Mattinzoli D, Rastaldi MP, Ruiz-Ortega M, Martin-Ventura JL, Egido J, Ortiz A. The MIF receptor CD74 in diabetic podocyte injury.</p>
<p>Virchows Arch. 2008 Dec;453(6):617-25</p> <p>Aresu L, Rastaldi MP, Pregel P, Valenza F, Radaelli E, Scanziani E, Castagnaro M. Dog as model for down-expression of E-cadherin and beta-catenin in tubular epithelial cells in renal fibrosis.</p>
<p>J Am Soc Nephrol. 2008 Nov;19(11):2225-36</p> <p>Lindenmeyer MT, Rastaldi MP, Ikehata M, Neusser MA, Kretzler M, Cohen CD, Schlöndorff D. Proteinuria and hyperglycemia induce endoplasmic reticulum stress.</p>
<p>Proteomics Clin Appl. 2008 Sep;2(9):1327-37. Epub 2008 Jul 21</p> <p>Ghiggeri GM, Bruschi M, Musante L, Candiano G, Boccardi C, Citti L, Rastaldi MP, Mangraviti S, Rosso G, Larti A, Rosati A, Urbani A, Gusmano R, Bertoni E, Salvadori M. Post-transplant proteinuria associated with everolimus: Definition of main features with proteomics.</p>



(2006-2011)

<p><i>J Am Soc Nephrol.</i> 2008 May;19(5):904-14</p>
<p>Lorz C, Benito-Martín A, Boucherot A, Uceró AC, Rastaldi MP, Henger A, Armelloni S, Santamaría B, Berthier CC, Kretzler M, Egido J, Ortiz A. The Death Ligand TRAIL in Diabetic Nephropathy.</p>
<p><i>Semin Nephrol.</i> 2008 Jan;28(1):58-65. Review</p>
<p>Oortwijn BD, Eijgenraam JW, Rastaldi MP, Roos A, Daha MR, van Kooten C. The role of secretory IgA and complement in IgA nephropathy.</p>
<p><i>Nat Med.</i> 2008 Jan;14(1):55-63</p>
<p>Wei C, Möller CC, Altintas MM, Li J, Schwarz K, Zacchigna S, Xie L, Henger A, Schmid H, Rastaldi MP, Cowan P, Kretzler M, Parrilla R, Bendayan M, Gupta V, Nikolic B, Kalluri R, Carmeliet P, Mundel P, Reiser J. Modification of kidney barrier function by the urokinase receptor.</p>
<p><i>Kidney Int.</i> 2007 Nov;72(10):1262-72</p>
<p>Verzola D, Gandolfo MT, Ferrario F, Rastaldi MP, Villaggio B, Gianiorio F, Giannoni M, Rimoldi L, Lauria F, Miji M, Deferrari G, Garibotto G. Apoptosis in the kidneys of patients with type II diabetic nephropathy.</p>
<p><i>Virchows Arch.</i> 2007 Nov;451(5):937-42</p>
<p>Aresu L, Rastaldi MP, Scanziani E, Baily J, Radaelli E, Pregel P, Valenza F. Epithelial-mesenchymal transition (EMT) of renal tubular cells in canine glomerulonephritis.</p>
<p><i>Nephrol Dial Transplant.</i> 2007 Nov;22(11):3191-5</p>
<p>Oortwijn BD, Rastaldi MP, Roos A, Mattinzoli D, Daha MR, van Kooten C. Demonstration of secretory IgA in kidneys of patients with IgA nephropathy.</p>
<p><i>J Pathol.</i> 2007 Oct;213(2):210-8</p>
<p>Pugliese G, Ricci C, Iacobini C, Menini S, Fioretto P, Ferrandi M, Giardino LA, Armelloni S, Mattinzoli D, Rastaldi MP, Pugliese F. Glomerular barrier dysfunction in glomerulosclerosis-resistant Milan rats with experimental diabetes: the role of renal haemodynamics.</p>
<p><i>G Ital Nefrol.</i> 2007 Sep-Oct;24(5):415-24</p>
<p>Mattinzoli D, Giardino LA, Corbelli A, Armelloni S, Li M, Berra S, Rastaldi MP. [The renal biopsy in the post-genomic era.]</p>
<p><i>Nephrol Dial Transplant.</i> 2007 Jul;22(7):1903-9</p>
<p>Ihalmo P, Schmid H, Rastaldi MP, Mattinzoli D, Langham RG, Luimula P, Kilpikari R, Lassila M, Gilbert RE, Kerjaschki D, Kretzler M, Holthöfer H. Expression of filtrin in human glomerular diseases.</p>
<p><i>J Am Soc Nephrol.</i> 2007 Jun;18(6):1765-76</p>
<p>Lindenmeyer MT, Kretzler M, Boucherot A, Berra S, Yasuda Y, Henger A, Eichinger F, Gaiser S, Schmid H, Rastaldi MP, Schrier RW, Schlöndorff D, Cohen CD. Interstitial vascular rarefaction and reduced VEGF-A expression in human diabetic nephropathy.</p>
<p><i>Nephrol Dial Transplant.</i> 2007 Apr;22(4):1020-2</p>
<p>Rastaldi MP. Necrotizing crescentic glomerulonephritis--a conditional knockout model discloses new therapeutic challenges.</p>
<p><i>J Am Soc Nephrol.</i> 2007 Jan;18(1):29-36. Epub 2006 Dec 13</p>
<p>Möller CC, Wei C, Altintas MM, Li J, Greka A, Ohse T, Pippin JW, Rastaldi MP, Wawersik S, Schiavi S, Henger A, Kretzler M, Shankland SJ, Reiser J. Induction of TRPC6 channel in acquired forms of proteinuric kidney disease.</p>
<p><i>Nat Med.</i> 2006 Sep;12(9):1081-7. Epub 2006 Aug 13</p>
<p>Ding M, Cui S, Li C, Jothy S, Haase V, Steer BM, Marsden PA, Pippin J, Shankland S, Rastaldi MP, Cohen CD, Kretzler M, Quaggin SE. Loss of the tumor suppressor Vhlh leads to upregulation of Cxcr4 and rapidly progressive glomerulonephritis in mice.</p>



(2006-2011)

<p>J Nephrol. 2006 Jul-Aug;19(4):407-12. Review</p>
<p>Rastaldi MP. Epithelial-mesenchymal transition and its implications for the development of renal tubulointerstitial fibrosis.</p>
<p>Kidney Int. 2006 Aug;70(3):477-85. Epub 2006 Jun 14</p>
<p>Rastaldi MP, Candiano G, Musante L, Bruschi M, Armelloni S, Rimoldi L, Tardanico R, Sanna-Cherchi S, Ferrario F, Montinaro V, Haupt R, Parodi S, Carnevali ML, Allegri L, Camussi G, Gesualdo L, Scolari F, Ghiggeri GM. Glomerular clusterin is associated with PKC-alpha/beta regulation and good outcome of membranous glomerulonephritis in humans.</p>
<p>J Am Soc Nephrol. 2006 Jun;17(6):1724-34. Epub 2006 May 10</p>
<p>Roos A, Rastaldi MP, Calvaresi N, Oortwijn BD, Schlagwein N, van Gijlswijk-Janssen DJ, Stahl GL, Matsushita M, Fujita T, van Kooten C, Daha MR. Glomerular activation of the lectin pathway of complement in IgA nephropathy is associated with more severe renal disease.</p>
<p>J Nephrol. 2006 May-Jun;19(3):242-5. Review</p>
<p>Ferrario F, Rastaldi MP. Renal amyloidosis (Part II).</p>
<p>J Nephrol. 2006 May-Jun;19(3):239-40. No abstract available</p>
<p>Holtofer H, Rastaldi MP. Better kidney health for Europe.</p>
<p>Nephrol Dial Transplant. 2006 Jun;21(6):1514-24. Epub 2006 Jan 31</p>
<p>Ricci C, Iacobini C, Oddi G, Amadio L, Menini S, Rastaldi MP, Frasheri A, Pricci F, Pugliese F, Pugliese G. Role of TGF-beta/GLUT1 axis in susceptibility vs resistance to diabetic glomerulopathy in the Milan rat model.</p>
<p>J Am Soc Nephrol. 2006 May;17(5):1334-44. Epub 2006 Apr 12</p>
<p>El-Aouni C, Herbach N, Blattner SM, Henger A, Rastaldi MP, Jarad G, Miner JH, Moeller MJ, St-Arnaud R, Dedhar S, Holzman LB, Wanke R, Kretzler M. Podocyte-specific deletion of integrin-linked kinase results in severe glomerular basement membrane alterations and progressive glomerulosclerosis.</p>
<p>FASEB J. 2006 May;20(7):976-8. Epub 2006 Apr 3</p>
<p>Rastaldi MP, Armelloni S, Berra S, Calvaresi N, Corbelli A, Giardino LA, Li M, Wang GQ, Fornasieri A, Villa A, Heikkila E, Soliymani R, Boucherot A, Cohen CD, Kretzler M, Nitsche A, Ripamonti M, Malgaroli A, Pesaresi M, Forloni GL, Schlöndorff D, Holthofer H, D'Amico G. Glomerular podocytes contain neuron-like functional synaptic vesicles.</p>
<p>J Am Soc Nephrol 2006 Apr. 17(4 Suppl 2):S148-52</p>
<p>D'Amico G. Statins and renal diseases: from primary prevention to renal replacement therapy.</p>
<p>J Nephrol. 2006 Mar-Apr;19(2):123-5</p>
<p>Ferrario F, Rastaldi MP. Renal amyloidosis (part I).</p>
<p>Advance in Diagnostic Imaging 2006, 3; 1-8</p>
<p>Bazzi C. Nefropatia acuta da mezzi di contrasto.</p>
<p>J Nephrol. 2006 Jan-Feb;19(1):1-5. Review</p>
<p>Ferrario F, Rastaldi MP. Histopathological atlas of renal diseases: diabetic nephropathy.</p>